Report on work completed on the Crooked Green Creek Property

October 2, 3 & 7, 2009
&
April 9, 12 & 15, 2010

Mining Claim # *4227937*

Prepared by
R. Therriault, M.Sc. on behalf of Sage Gold Inc.

Prepared for
The Ministry of Northern Development and Mines
3rd Floor, 933 Ramsey Lake Road
Sudbury, Ontario
P3E-6B5
T: 1 -888-415-9845

April, 2010 Toronto, Ontario

Table of Contents

Text **Page**

Location, Access and Topography 1
History.....1
Geology and Mineralization.....1
Regional Geology.....1
Property Geology.....2
2009-2010 Exploration Programs 6
Interpretations and Recommendations 8
References 8
Qualifications.....10

Figures

Figure 1: Property Location 3
Figure 2: Property Location and Regional Geology 4
Figure 3: Location of Work Completed.....5
Figure 4: Grab Sample Locations 7

Tables

Table 1: Grab Sample Results 7

Appendices

Appendix A: ALS Chemex Certificate .....AT END
Appendix B: ALS Chemex Invoice ..... AT END
Appendix C: Costs Summary .....AT END

Location, Access and Topography

The Crooked Green Creek property is located approximately 190km northeast of the city of Thunder Bay, Ontario on National Topographic System (NTS) sheet 42E/13 in the Thunder Bay Mining Division (Figure 1; 2). The property is situated in Pifher Township located in the Tyrol Lake area. Access to the claim is via a series of old logging/mining roads which can be used to gain access to the northern and southern parts of the property (Figure 3).

The topography on the property is relatively subdued with the exception of significant topographic highs in the east and west (Figure 2). The elevation on the property ranges from 320 to 360 metres above sea level. Outcrop is not abundant, constituting <5% of the property.

The property lies within the central plateau section of the Boreal Forest Region. On the uplands common tree species are jackpine, black spruce, white birch and aspen. Along the river banks aspen, white spruce, balsam fir, black spruce, balsam poplar and white birch are present. Tamarack and black spruce populate the swampy areas. The snow-free season runs from approximately April to October with temperatures as high as 35 degrees Celsius (°C), while the winter season spans from November to March with temperatures as low as -50 °C.

Beardmore, Jellicoe and Geraldton are the most proximal population centres to the property (Figure 1) and are of sufficient size to provide for most exploration needs on the property. Samples for geochemistry are sent to laboratories in Thunder Bay for analysis.

History

No significant amount of work has been performed on the property, with the majority of exploration and mining efforts taking place a short distance to the north at and near to the previously producing Crooked Green Creek gold mine. The reader is referred to Mason and White (1986) for additional information on the mine and nearby exploration.

A few historical exploration programs have overlapped to a small degree onto the claim that is the subject of this report. The reader is referred to Cowan (1992a/b) and Seeber (1982) for additional information regarding these programs.

Geology & Mineralization

Regional Geology

<u>Wabigoon Subprovince</u>

The property lies within the Wabigoon subprovince of the Archean aged Superior Province. The Wabigoon subprovince is a 900 km long east-west trending granite-greenstone terrane composed of metavolcanic and lesser metasedimentary rocks that have been intruded by polyphase granitoid batholiths (Blackburn *et al*., 1991). To the north, the subprovince is bound by the Winnipeg River and English River subprovinces, the contact being variably interpreted as intrusive (Breaks *et al*., 1978), faulted (Blackburn *et al*., 1985) and a tectonically modified unconformity (Clark *et al*., 1981). To the south, it is bound by the metasedimentary Quetico subprovince along a structurally complicated fault-

shear zone that corresponds to the southern boundary of the Beardmore-Geraldton Belt (BGB). As described by Blackburn *et al.* (1991) the Wabigoon subprovince has been subdivided into three major regions based on structural and lithological elements: 1) the western portion consists of large areas of supracrustal rocks intruded by synvolcanic polyphase batholiths; 2) the central area contains numerous gneiss domes intruded by elliptical batholiths and surrounded by small greenstone belts; 3) the eastern region (the location of the Property) consists of abundant supracrustal rocks intruded by synvolcanic granitoid batholiths.

Onaman-Tashota Belt *(OTB)*

The following text has been summarized from Mason and White (1986).

The OTB consists of a felsic to mafic metavolcanic (calc-alkaline and tholeiitic) sequence bound to the south by the BGB's northern contact defined by the Paint Lake Deformation Zone. Metavolcanic rocks of the OTB are deformed into arcuate shaped belts related to the emplacement of ovoid granitoid intrusions. Regional structures and stratigraphy exhibit a north and northeasterly strike while late northwest trending structures are common in the southern part of the OTB. Preliminary age determinations suggest that the OTB predates the BGB (Mason and White, 1986 and references therein).

Mafic metavolcanic rocks in the OTB are interbedded with felsic pyroclastic rocks and minor quartz porphyry & rhyolite flows. The mafic metavolcanic rocks consist of massive to foliated, pillowed, porphyritic and amygdaloidal flows, chlorite schist, volcaniclastic tuff & breccia and agglomerate. Felsic metavolcanics consist of rhyolitic to rhyodacitic flows, rhyolite porphyry, crystal tuff, lapilli-tuff, tuff breccia, rhyolitic quartz feldspar porphyry and pyroclastic breccia. Metasedimentary rocks are also present as argillite, wacke, sandstone, conglomerate and minor chemical metasediments in the form of iron formation.

Property Geology

The majority of the property is underlain by intermediate to felsic (dacitic-andesitic) metavolcanic rocks including massive flows, tuffs and volcaniclastic rocks. Feldspar porphyritic dykes are also common on the property. Government geology maps indicate a gabbro body to the west (Figure 2); however, it was not encountered during the 2010 prospecting program.

Quartz veins on the property are rather common and typically strike north to northeast. Their width ranges from 2cm-30cm and they can be traced along strike for several tens of metres. Minor amounts of pyrite-chalcopyrite can be found in some of the veins, however; most are barren of sulphides. The quartz veins are commonly flanked by small rusty selvedges overprinting the metavolcanics.

Below is a brief description of the sample sites from the 2010 prospecting program as described by Myron Nelson:

Vein #1 - Host rock strike 070. Vein strike 007. Grey to bluish quartz. No noticeable mineralization. 30cm. wide. Sample MNCGC002. Rock structure apx. 2m relief above low lying wet ground with creek flowing through it.


ONTARIO
N
Canadian National Railway
Lake
Nipigon
Property
Hwy.
801
Kinghorn
Road
Jellicoe
Beardmore
Highway 17
Nipigon
Highway 11
Canadian National Railway
Thunder
Bay
Lake
Superior
Sage Gold Inc.
Crooked Green Creek
Property Location
0
20
40
60
Km
Toronto, Ontario
Fig. 1
April, 2010


N
Miner Lake
4227937
Legend
Crooked Green Creek Property
Geology
Mafic-ultramafic
Foliated tonalite
Diorite-monzonite-granodiorite
Granodiorite-granite
Mafic-intermediate metavolcanic
Felsic-intermediate metavolcanic
Iron Formation
Faults
Dikes
Roads
Primary
Secondary
Tertiary
Railway
Surface
Lakes
Swamp
Rivers
Contours
Sage Gold Inc.
Crooked Green Creek
Property Location
and
Regional Geology
0 0.1 0.2 0.3 0.4 0.5 Km
NAD 83, Zone 16
1:7,500
Toronto, Ontario
Fig. 2
April, 2010
5519000
5518000
5517000
5516000
5515000
5514000
5513000
438000
439000
440000
441000
442000
443000
444000
445000

N

Miner Lake

4227937

Legend

Access
- North Access
- South Access
- Crooked Green Creek Property
- Contours
- Rivers

Roads
- Primary
- Secondary
- Tertiary
- Railway

Surface
- Lakes
- Swamp

Sage Gold Inc.

Crooked Green Creek
Property Access and Location of Work

0 0.1 0.2 0.3 0.4 0.5 Km

NAD 83, Zone 16
1:10,000

Toronto, Ontario — *Fig. 3* — April, 2010

436000 437000 438000 439000 440000 441000 442000 443000 444000 445000 446000

5519000 5518000 5517000 5516000 5515000 5514000 5513000 5512000 5511000

Vein #2 - Blue quartz vein 10cm wide. No noticeable mineralization. Same strike, same area. MNCGC001

Vein #3 - Grey to blue quartz, minor chalcopyrite, some rust. Same strike, same area. MNCGC004, LHGC0124, 126, 129.

Vein #4 - Blue quartz vein, 12cm wide, strike 040. 1 sample taken (LHGC0125). Same area. 1 sample taken from host rock - minor rust (LHGC0123).

Veins #5, 6, 7and 8 - Grey to blue quartz veins ranging in width from 12 to 15cm. 200m to the west. Same strike. Rock structure apx. 4 meter relief above low swampy area. 4 samples taken (LHCGC0127, 128; MNCGC004, 005).

Vein #9 - 734 meters south of Vein #1. 15cm blue quartz vein. 1 sample (LHCGC0130). Strike 014. Gently rolling wooded ridges with occasional exposed outcropping.

Vein #10 – East of Vein 9. 15cm blue quartz vein, 1 sample (LHCGC0131). Same area.

Vein #11 - Grey to blue quartz vein, widest part apx. 90cm. Same strike, same area. 1 sample (LHCGC0132).

2009-2010 Exploration Programs

October, 2009

At the start of October, 2009, a small program was initiated to gain access to the southern part of the claim. The program involved brushing out a pre-existing trail/road (green line in Figure 3) and a site inspection by a geologist. While access to the southern part of the claim was gained, no significant discoveries were made during the geologist's inspection and no samples for assay were taken.

Those involved in the two-day trail clearing process included W. Letang (Thunder Bay), C. Thompson (Beardmore), J. Metansinine (Beardmore), B. Shawayahamish (Beardmore) and A. Nayaookceesic (Beardmore). The site visit was conducted by K. Rubingh (Sudbury) accompanied by W. Letang and C. Thompson (Appendix C).

April, 2010

A second prospecting program was initiated in April of 2010 as an initial "first pass" of possible gold mineralization on the property (blue line in Figure 3). Three days of work (April 9, 12 & 15) were completed by L. Holt (Beardmore) and M. Nelson (Beardmore), primarily on the northern part of the claim (Figures 3, 4). Several prospective approximately north-south trending blue-grey quartz veins were found during the short program; however, disappointing sulphide contents and gold values were the result (Table 1).

N

Crooked Green Creek

2010MWCGC002
2010LHGC0133
2010MWCGC003
2010MWCGC004
2010LHGC0127
2010LHGC0135
2010LHGC0134
2010LHGC0136
2010LHGC0137
2010LHGC0131
2010LHGC0132
2010LHGC0138
2010LHGC0139

Legend

- Sample Location
- Crooked Green Creek Property
- Contours
- Rivers

Roads

- Primary
- Secondary
- Tertiary
- Railway

Surface

- Lakes
- Swamp

Sage Gold Inc.

Crooked Green Creek

April 2010 Sample Locations

0 30 60 90 120 150 M

NAD 83, Zone 16

1:2,500

Toronto, Ontario *Fig. 4* April, 2010

440000 440500 441000 441500 442000 442500

5516000 5515500 5515000 5514500

Sample Number	Easting	Northing	Au (g/t)	Description
2010LHCG0122	441450	5515758	<0.01	Blue quartz vein
2010LHGC0123	441519	5515760	<0.01	Highly silicified volcanic, grey
2010LHGC0124	441419	5515764	<0.01	Blue grey quartz vein
2010LHGC0125	441417	5515764	<0.01	Blue grey quartz vein
2010LHGC0126	441427	5515763	0.01	highly silicified volcanic
2010LHGC1027	441292	5515752	<0.01	Blue quartz vein
2010LHGC0128	441261	5515722	<0.01	Rusty volcanic
2010LHGC0129	441421	5515764	0.01	Highly silicified volcanic
2010LHGC0130	441236	5515053	<0.01	Dark blue quartz vein
2010LHGC0131	441225	5515031	0.01	Blue quartz vein
2010LHGC0132	441254	5515022	<0.01	Dark blue quartz vein
2010MNCGC001	441444	5515763	<0.01	Blue quartz vein
2010MNCGC002	441449	5515763	<0.01	Blue quartz vein- minor rust
2010MNCGC003	441424	5515761	<0.01	blue quartz vein
2010MNCGC004	441283	5515755	<0.01	Blue quartz vein
2010MNCGC005	441256	5515721	<0.01	Blue-grey quartz vein

Table 1: Grab Sample Results, 2010 Prospecting

Interpretations and Recommendations

Based on the poor 2010 gold results, lack of significant historical results and lack of strong sulphide mineralization on the property, no additional exploration is recommended.

References

Blackburn, C.E., Johns, G.W., Ayer, J. and Davies, D.W. 1991. Wabigoon Subprovince, *in* Thurston, P.C., Williams, H.R., Sutcliffe, R.H. and Stott, G.M., eds., Geology of Ontario: Ontario Geological Survey, Special Volume 4, Part 1.

Blackburn, C.E., Bond, W.D., Breaks, F.W., Davie, D.W., Edwards, G.R., Poulsen, K.H., Trowell, N.F., and Wood, J. 1985. Evolution of Archean volcanic-sedimentary sequences in the western Wabigoon Subprovince and its margin: a review; *In:* Evolution of Archean Supracrustal Sequences, Geological Association of Canada, Special Paper 28, p.89-116.

Breaks, F.W., Bond, W.D. and Stone, D. 1978. Preliminary geological synthesis of the English River Subprovince, northwestern Ontario and its bearing upon mineral exploration: Ontario Geological Survey, Miscellaneous Paper 72.

Clark, G.S., Bold, R., and Ayres, L.D. 1981. Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario: a possible basement complex; Canadian Journal of Earth Sciences, Volume 18.

Cowan, M.F. 1992a. Prospecting on Northern Concentrators Limited Crooked Green Property, Pifher Township, Thunder Bay Mining Division, Ontario. AFRI # 42E13SW0002.

Cowan, M.F. 1992b. Diamond Drilling on Claim TB113679 of Northern Concentrators Limited Crooked Green Property, Pifher Township, Thunder Bay Mining Division, Ontario. AFRI # 42E13SW0076.

Mason, J and White, G. 1986. Gold Occurrences, Prospects, and Deposits of the Beardmore-Geraldton Area, Districts of Thunder Bay and Cochrane; Ontario Geological Survey, Open File Report 5630, 680p., 21 figures, 11 tables, and 1 map in back pocket.

Seeber, O.A. 1982. Geologists Report on Mining Claims TB 602243, 602244 and 602245, Pifher Township, Thunder Bay Mining Division. AFRI # 42E13SW0065.

Qualifications

I, Ronnie Therriault, of 120 Banning Street, Thunder Bay Ontario, do hereby certify that:

1) I am a consulting geologist with Sage Gold Inc. with an office at 365 Bay Street, Suite 500, Toronto Ontario, M5H-2V1

2) I am a graduate of The University of Western Ontario with a B.Sc. and in 2006 with an M.Sc., both in Geology.

3) I have practiced my profession continuously since 2006.

4) I am responsible for, or directly supervised, the writing of this report dated April, 2010. It is based on a study of the data and literature available on the Crooked Green Creek Property.

5) As of the date of this certificate, to the best of my knowledge, information and belief, the report contains all scientific and technical information that is required to be disclosed to make the report not misleading.



Ronnie Therriault, M.Sc.

Thunder Bay, Ontario

APPENDIX A: ALS INVOICES

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **SAGE GOLD INC.**
365 BAY ST.
SUITE 500
TORONTO ON M5H 2V1

Finalized Date: 23-APR-2010
This copy reported on 28-APR-2010
Account: SAGGOL

CERTIFICATE TB10046155

Project: CGC

P.O. No.:

This report is for 16 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 16-APR-2010.

The following have access to data associated with this certificate:

LYLE HOLT	ROB L HEUREUX	WILLIAM (BILL) LOVE
MYRON NELSON	RONNIE THERRIAULT	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: **SAGE GOLD INC.**
ATTN: RONNIE THERRIAULT
365 BAY ST.
SUITE 500
TORONTO ON M5H 2V1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **SAGE GOLD INC.**
365 BAY ST.
SUITE 500
TORONTO ON M5H 2V1

Finalized Date: 23-APR-2010
Account: SAGGOL

Project: CGC

CERTIFICATE OF ANALYSIS TB10046155

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01
LHGC 0122		1.26	<0.01
LHGC 0123		1.05	<0.01
LHGC 0124		0.32	<0.01
LHGC 0125		0.97	<0.01
LHGC 0126		0.88	0.01
LHGC 0127		0.54	<0.01
LHGC 0128		1.08	<0.01
LHGC 0129		0.59	0.01
LHGC 0130		0.51	<0.01
LHGC 0131		0.32	0.01
LHGC 0132		0.48	<0.01
MNGC 001		1.29	<0.01
MNGC 002		0.76	<0.01
MNGC 003		0.35	<0.01
MNGC 004		0.66	<0.01
MNGC 005		0.97	<0.01

APPENDIX B: ALS ASSAY CERTIFICATES

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **SAGE GOLD INC.**
365 BAY ST.
SUITE 500
TORONTO ON M5H 2V1

INVOICE NUMBER 2058433

BILLING INFORMATION

Certificate:	**TB10046155**
Sample Type:	**Rock**
Account:	**SAGGOL**
Date:	**23-APR-2010**
Project:	CGC
P.O. No.:	
Quote:	ALSC-CE09-081-SAGGOL
Terms:	**Due on Receipt** C3
Comments:	

QUANTITY	ANALYSED FOR CODE	- DESCRIPTION	UNIT PRICE	TOTAL
16	PREP-31B	Crush, Split, Pulverize 1 kg	6.72	107.52
12.03	PREP-31B	Weight Charge (kg) - Crush, Split, Pulverize 1 kg	0.55	6.62
16	Au-AA25	Ore Grade Au 30g FA AA finish	11.36	181.76

SUBTOTAL (CAD)	$	295.90
R100938885 GST	$	14.80
TOTAL PAYABLE (CAD)	**$**	**310.70**

To: **SAGE GOLD INC.**
ATTN: ART HAMPSON
365 BAY ST.
SUITE 500
TORONTO ON M5H 2V1

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
2103 Dollarton Hwy
North Vancouver BC V7H 0A7

APPENDIX C: COST BREAKDOWN

Item	Units	Cost	Total
Geologist (K. Rubingh)	1	$400.00	$400.00
Labour (W. Letang)	3	$325.00	$975.00
Labour (C. Thompson)	2	$225.00	$450.00
Labour (J. Metansinine)	2	$250.00	$500.00
Labour (B. Shawayahamish)	2	$225.00	$450.00
Labour (A. Nayaookceesic)	1	$225.00	$225.00
Prospecting (L. Holt)	3	$350.00	$1,050.00
Prospecting (M. Nelson)	3	$350.00	$1,050.00
Mileage (L. Holt)	318	$0.50/km	$159.00
Mileage (M. Nelson)	300	$0.50/km	$150.00
ATV Rental	6	$50/day	$300.00
Assays	See Apx. A/B		$310.70
		TOTAL	**$6,019.70**